## **AMENDMENTS TO THE CLAIMS**

Please amend claims 1, 6, and 13, as follows.

- (Currently Amended) A clip to attach a towel to a golf club, the clip comprising:

   a body with a first aperture adapted shaped to receive a portion of a golf club and a second

  aperture adapted to receive a towel.
- (Original) The clip of claim 1, further comprising:
  a fastener adapted to be inserted at least partially through the second aperture for fastening
  the towel to the clip.
- 3. (Original) The clip of claim 2, wherein said fastener is removably fastened.
- 4. (Original) The clip of claim 2, wherein said fastener is a rivet.
- 5. (Original) The clip of claim 2, further comprising a towel inserted into said second aperture, said towel fastened to said clip by said fastener.
- 6. (Currently Amended) The clip of claim 1, wherein <u>said first aperture is adapted to receive</u> said portion of the golf club is a shaft of said golf club.



- 7. (Original) The clip of claim 1, further comprising bendable tongs surrounding said first aperture.
- 8. (Original) The clip of claim 1, wherein the clip further comprises a magnet proximately located to said first aperture to attach said clip to a portion of the golf club.
- 9. (Original) The clip of claim 1, wherein at least a portion of said body is made of plastic.
- 10. (Original) The clip of claim 1, further comprising a towel attached to said clip by a fastener inserted through said second aperture.
- 11. (Withdrawn) A clip to attach an item to a member, the clip comprising:

a body with a first aperture adapted to receive a portion of a member and a second aperture adapted to receive an item,

wherein said member is substantially axially symmetric and wherein said item can be supported within an approximately planar aperture.

- 12. (Withdrawn) The clip of claim 11, further comprising:
- a fastener adapted to be inserted at least partially through said second aperture for fastening said item to the clip.
- 13. (Currently Amended) A clip to attach a towel to a golf club, the clip comprising:



a body with a first aperture <u>adapted</u> shaped to receive a portion of a golf club and a second aperture adapted to receive a fastener situated to attach a towel to the clip.

- 14. (Original) A method for attaching a towel to a portion of a golf club, the method comprising: attaching a clip body to a portion of a golf club, wherein said clip body has a first aperture adapted to receive a golf club and wherein said clip body has a towel attached to it.
- 15. (Original) The method of claim 14, wherein said portion of a golf club is a shaft.
- 16. (Original) The method of claim 14, wherein said attaching a clip body to a portion of a golf club comprises:

spreading bendable tongs surrounding said first aperture; and inserting said golf club into the first aperture.

17. (Original) The method of claim 14, wherein said attaching a clip body to a portion of a golf club comprises:

attaching the clip to the golf club with a magnet:

18. (Withdrawn) A method of manufacturing a clip for attaching a towel to a golf club, the method comprising:

manufacturing a first aperture in a body of a clip, said first aperture fashioned to receive a portion of a golf club; and



manufacturing a second aperture in said body, said second aperture fashioned to facilitate attaching a towel to said body.

- 19. (Withdrawn) The method of claim 18, further comprising:fastening a towel to said body, said towel being fastened using the second aperture.
- 20. (Withdrawn) The method of claim 18, wherein said fastening a towel to said clip body comprises:

inserting said fastener at least partially through said second aperture.

